

TARANTULA-logoplex®

Homeopathic medicinal product. For animals.
(horses, cattle, pigs, sheep, goats, dogs, cats).
Liquid dilution for injection.



Composition:

Active ingredients per 10 g (= 10 ml)

Tarantula Dil. D6	1,0 g
Acidum silicicum Dil. D6	1,0 g
Hepar sulfuris Dil. D8	1,0 g
Pyrogenium-Nosode Dil. D8 (HAB; Vs. 44)	1,0 g

Other ingredients: Sodium chloride, water for injection purposes.

Areas of application:

Registered homeopathic medicine product, therefore without therapeutic indication. Conduct a veterinary examination before administering. In case of persistent symptoms during application consult your veterinary surgeon.

Contra-indications:

None known.

Dosage for individual species, form and duration of treatment:

Shake well before extracting. For subcutaneous injection. Individual doses are as follows, depending on the species and weight:

Horses, cattle	10 ml
Calves, pigs	5 ml
Sheep, goats,	3 ml
Dogs	0,2 ml pro kg KGW (max. 3 ml per animal)
Cats	0,2 ml pro kg KGW (max. 1 ml per animal)

Repeat the dose after 24 hours, depending on the severity and progression of illness. Do not administer once the animal has fully recovered.

Withdrawal period:

Horses, cattle, pigs, sheep, goats	
Edible Tissue	0 days
Horses, cattle, sheep, goats	
Milk	0 days

Particular precautions for use:

Only veterinary surgeons or persons with a good command of injection techniques should inject this medicinal product. Improperly administered injections may cause permanent damage and even induce life-threatening conditions. For subcutaneous application. Observe the animal for an appropriate period following injection. Notify your veterinary surgeon if you see signs of an anaphylactic response. Immediately consult a veterinary surgeon if there are persistent, unclear, periodic or recurring complaints, fever or severe disturbances of general well-being.

Interactions:

Homeopathic medicinal products are no different from other medicinal products in that combined use may prompt interactions. Please consult your veterinary surgeon if you intend to use **TARANTULA-logoplex®** concomitantly with another medicinal product.

Side effects:

None known. Note: treatment with a homeopathic medicinal product may temporarily lead to a worsening of prevalent symptoms (initial deterioration). In these cases please discontinue treatment with **TARANTULA-logoplex®** and consult your veterinary surgeon. Please inform your veterinary surgeon or pharmacist if your animal experiences a side effect not listed in the package leaflet.

Use during pregnancy and lactation:

There are no analysis data available on the tolerability of **TARANTULA-logoplex®** among pregnant and nursing animals. Homeopathic medicinal products are no different from other medicinal products in that you should consult your veterinary surgeon before administration to pregnant or nursing animals.

Information and data on the medicinal product shelf life:

Do not use the medicinal product after the expiry data printed on the outer label and container. Do not store above 25 °C. Does not contain preservatives. Dispose of any product remaining once the bottle has been opened. Consistent refrigeration and sterile extraction are crucial for proper handling. Keep medicinal products out of reach for children. Only sold in pharmacies!

Presentation:

5x 100 ml
1x 100 ml
5x 20 ml

Effective for:

The vet. hom. literature describes the ingredients of this medicinal product as follows, to treat among other things: whitlows, tail tip necrosis, necrobacillosis, diptheroids among calves, contagious footrot, infected malanders, fistula of the withers, thrombophlebitis, abscesses.



Claw • tissue



Facts about TARANTULA-logoplex®

FACTS ABOUT TARANTULA-logoplex®

Animal owners in general but especially livestock farmers often have to face the same situation: wound healing/tissue repair in general and especially the complex treatment of tissue damage and wound complication. Infectious processes due to contamination following serious and complicated injuries of skin, muscles, connective tissue, tendons, ligaments and bones often have to be treated. Optimally the animal body is able to heal itself. Failing that a local or general therapy is necessary to trigger the body's healing.

Any treatment with chemical substances of livestock on the farm can lead to substantial financial losses over longer periods. A means of therapy with a withdrawal period of 0 days is advantageous here.

The complex remedy **TARANTULA-logoplex®** is intended for acute intervention. The key component Tarantula is supplemented by the therapeutic agents Acidum silicicum (Silicea), Hepar sulfuris and Pyrogenium. Therefore **TARANTULA-logoplex®** is appropriate for the treatment of all organic diseases which show signs of becoming a severe general infection with abscesses and necrotizing tissue as well as oncological indications.

Proven indications of **TARANTULA-logoplex®** among others are:

Cattle, calves: panaritium, whitlows, tail tip necrosis, necrobacillosis, diptheroids among calves

Horses: contagious footrot, infected malanders, thrush, fistula of the withers, thrombophlebitis, infected stab wounds

Pets: infected wounds, open tumors, in particular mammary tumors; in case of not opened, bluish or purple coloured tumors the application of **TARANTULA-logoplex®** is recommended with interval of two days as well as 2 to 5 times before and after a planned surgical intervention to prevent metastasis.

Pigs: for the treatment of extreme laryngo-tracheitis, bronchopneumonia, pneumonia, with intense dyspnea, circulation and cardiac insufficiency, also applicable in case of an emergency

Characteristics of the ingredients:

Tarantula hispanica describes bluish or purple wounds and is characterised by tendency to systemic infections, often used to treat highly painful necrotizing wounds with extreme reaction of the tissue e.g. panaritium of cattle or open mammary tumors of pets.

Acidum silicicum supports the positive effects of Tarantula hispanica as well as Hepar sulfuris in case of a poor immune status of previously damaged animals and poorly healing festering wounds.

Hepar sulfuris is recommended for the treatment of festering wounds often surrounded by oedema, a homoeopathic drug used for the acute phase and is particularly effective with animals of a stable immune status.

Pyrogenium Nosode can be easily combined with Tarantula hispanica in cases of distinct tendency to serious systemic infections and supports its remedial effect.

